

Toggle clamps horizontal with flat foot and adjustable clamping spindle

Item description/product images

KIPPlack

Description

Material:

Steel.

Grip polyamide.

Version:

Carbonitrided and black oxidised.

Grip element blue, black or red.

Note:

Maintenance-free high quality link bushings. Sustainable constant use of force during opening and closing. Optimum stability through the conical, U-profile clamping arm.

On request:

Other grip colours.

Accessory:

K0106

K0098

K0383


K0388

K0390

K0391

K0392

K0393





product
design
award




Toggle clamps horizontal with flat foot and adjustable clamping spindle

Item description/product images



Drawings



Overview of items

Toggle clamps horizontal with flat foot and adjustable clamping spindle

Toggle clamps horizontal with flat foot and adjustable clamping spindle

Overview of items

Order No.	Component colour	hole arrangement	Opening angle of holding arm				Opening angle of handle		Hand force FH N	Retaining force F1 N		Retaining force F2 N		Clamping force F3 N		Clamping force F4 N		Order No. Angle bracket			
K0660.004001	ultramarine RAL 5002	1	87°				69°		80	400		500		250		300		K0098.02			
K0660.005001	ultramarine RAL 5002	2	86°				67°		100	650		900		550		620		K0098.02			
K0660.006001	ultramarine RAL 5002	3	86°				67°		160	1350		1900		720		1200		K0098.04			
K0660.008001	ultramarine RAL 5002	3	86°				67°		200	2000		2800		830		1400		K0098.04			
K0660.010001	ultramarine RAL 5002	3	90°				71°		250	2200		4500		1200		2800		K0098.06			
K0660.012001	ultramarine RAL 5002	4	88°				68°		280	2400		5500		1000		2800		K0098.06			
K0660.004000	black grey RAL 7021	1	87°				69°		80	400		500		250		300		K0098.02			
K0660.005000	black grey RAL 7021	2	86°				67°		100	650		900		550		620		K0098.02			
K0660.006000	black grey RAL 7021	3	86°				67°		160	1350		1900		720		1200		K0098.04			
K0660.008000	black grey RAL 7021	3	86°				67°		200	2000		2800		830		1400		K0098.04			
K0660.010000	black grey RAL 7021	3	90°				71°		250	2200		4500		1200		2800		K0098.06			
K0660.012000	black grey RAL 7021	4	88°				68°		280	2400		5500		1000		2800		K0098.06			
K0660.004003	red	1	87°				69°		80	400		500		250		300		K0098.02			
K0660.005003	red	2	86°				67°		100	650		900		550		620		K0098.02			
K0660.006003	red	3	86°				67°		160	1350		1900		720		1200		K0098.04			
K0660.008003	red	3	86°				67°		200	2000		2800		830		1400		K0098.04			
K0660.010003	red	3	90°				71°		250	2200		4500		1200		2800		K0098.06			
K0660.012003	red	4	88°				68°		280	2400		5500		1000		2800		K0098.06			
Order No.	Component colour	M	A	A1	A2	A3	A4	B	B1	B2	B3	B4	B5	B6	C	C2	D	H	H1	L	L1
K0660.004001	ultramarine RAL 5002	M4x16	16	24	4	12,8	0,95	16	24	10,2	7,2	14,1	1,5	20	11,7	4,95	4,2	28,7	26,3	91,8	23,7
K0660.005001	ultramarine RAL 5002	M5x25	18	27	4,5	13,5	-	16,8	27,3	13,2	9,2	-	2	22,5	17,2	5,25	5,5	43,4	38,9	125,7	41,8
K0660.006001	ultramarine RAL 5002	M6x35	26	39	6,5	-	-	28	39	17,5	12,5	23	2,5	43,5	25,4	-	5,5	63,7	59,6	186,6	60,5
K0660.008001	ultramarine RAL 5002	M8x45	26	44	9	-	-	31	45	21	16	24	2,5	41,5	32,2	-	6,2	73,9	70,1	223,1	74,9
K0660.010001	ultramarine RAL 5002	M10x55	41,5	59	9	-	-	43	59	26	19	39	3,5	47	40	-	8,8	94,8	88	279,4	103,9
K0660.012001	ultramarine RAL 5002	M12x70	44	65	10	40	1	42	67	28	21	40	3,5	47	52,3	13,5	8,5	104,8	101,6	314,7	122
K0660.004000	black grey RAL 7021	M4x16	16	24	4	12,8	0,95	16	24	10,2	7,2	14,1	1,5	20	11,7	4,95	4,2	28,7	26,3	91,8	23,7
K0660.005000	black grey RAL 7021	M5x25	18	27	4,5	13,5	-	16,8	27,3	13,2	9,2	-	2	22,5	17,2	5,25	5,5	43,4	38,9	125,7	41,8
K0660.006000	black grey RAL 7021	M6x35	26	39	6,5	-	-	28	39	17,5	12,5	23	2,5	43,5	25,4	-	5,5	63,7	59,6	186,6	60,5
K0660.008000	black grey RAL 7021	M8x45	26	44	9	-	-	31	45	21	16	24	2,5	41,5	32,2	-	6,2	73,9	70,1	223,1	74,9
K0660.010000	black grey RAL 7021	M10x55	41,5	59	9	-	-	43	59	26	19	39	3,5	47	40	-	8,8	94,8	88	279,4	103,9
K0660.012000	black grey RAL 7021	M12x70	44	65	10	40	1	42	67	28	21	40	3,5	47	52,3	13,5	8,5	104,8	101,6	314,7	122
K0660.004003	red	M4x16	16	24	4	12,8	0,95	16	24	10,2	7,2	14,1	1,5	20	11,7	4,95	4,2	28,7	26,3	91,8	23,7
K0660.005003	red	M5x25	18	27	4,5	13,5	-	16,8	27,3	13,2	9,2	-	2	22,5	17,2	5,25	5,5	43,4	38,9	125,7	41,8
K0660.006003	red	M6x35	26	39	6,5	-	-	28	39	17,5	12,5	23	2,5	43,5	25,4	-	5,5	63,7	59,6	186,6	60,5
K0660.008003	red	M8x45	26	44	9	-	-	31	45	21	16	24	2,5	41,5	32,2	-	6,2	73,9	70,1	223,1	74,9
K0660.010003	red	M10x55	41,5	59	9	-	-	43	59	26	19	39	3,5	47	40	-	8,8	94,8	88	279,4	103,9
K0660.012003	red	M12x70	44	65	10	40	1	42	67	28	21	40	3,5	47	52,3	13,5	8,5	104,8	101,6	314,7	122